

publicaciones

Publicaciones españolas indexadas en Medline

Publicaciones españolas indexadas en Medline desde el 6 de septiembre hasta el 10 de Noviembre de 2004

Fernández-Martos C, Aparicio J, Bosch C, et al. IVO.

Phase II multicenter study of preoperative oral uracil and tegafur (UFT) and concomitant radiotherapy in operable rectal cancer: final results with 3 years of follow-up.

J Clin Oncol 2004; 11: 124.

Tort F, Hernández S, Bea S, et al. IDIBAPS. Barcelona.

Checkpoint kinase 1 (CHK1) protein and mRNA expression is downregulated in aggressive variants of human lymphoid neoplasms.

Leukemia. 2004 Nov 04

Callen E, Casado JA, Tischkowitz MD, et al. Universidad Autónoma de Barcelona.

A common founder mutation in FANCA underlies the world highest prevalence of Fanconi anemia in gypsy families from Spain.

Blood. 2004 Nov 2

Ruiz JF, Lucas D, García Palomero E, et al. Centro de Biología Molecular "Severo Ochoa". Madrid.

Overexpression of human DNA polymerase mu (Pol mu) in a Burkitt's lymphoma cell line affects the somatic hypermutation rate.

Nucleic Acids Res. 2004 Nov 01;32(19):5861-73.

Matheu A, Pantoja C, Efeyan A, et al. CNIO. Madrid.

Increased gene dosage of Ink4a/Arf results in cancer resistance and normal aging.

Genes Dev. 2004 Nov 1

Fernández-Checa JC. Hospital Clínico de Barcelona.

A hidden face of hope for the liver.

J Hepatol. 2004 Nov;41(5):888-889.

Moreno Vilares JM, Gomis P, Valero Zanuy MA, et al. Hospital 12 de octubre. Madrid.

[Home parenteral nutrition in patients with advanced cancer: experience of a single center over ten years]

Nutr Hosp. 2004 Sep-Oct;19(5):253-8.

Moreno F, Grande E, Pérez Segura P, et al. Hospital Clínico San Carlos. Madrid.

[The epidemiology of asymptomatic pulmonary embolism in cancer patients.]

Med Clin (Barc). 2004 Oct 16;123(13):516.

Feliu J, Vicent JM, García-Girón C, et al. Hospital La Paz. Madrid.

Phase II study of UFT and oxaliplatin in first-line treatment of advanced colorectal cancer.

Br J Cancer. 2004 Nov 15;91(10):1758-1762.

Rodríguez A, Martínez N, Camacho FI, et al. CNIO. Madrid.

Variability in the degree of expression of phosphorylated I κ B α in chronic lymphocytic leukemia cases with nodal involvement.

Clin Cancer Res. 2004 Oct 15;10(20):6796-806.

Sola I, Thompson E, Subirana M, et al. Hospital de la Santa Creu i San Pau. Barcelona.

Non-invasive interventions for improving well-being and quality of life in patients with lung cancer.

Cochrane Database Syst Rev. 2004 Oct 18(4):CD004282.

Prat J. Hospital de la Santa Creu i San Pau. Barcelona.

Ovarian carcinomas, including secondary tumors: diagnostically challenging areas.

Mod Pathol. 2004 Oct 15

JJaco I, Muñoz P, Blasco MA. CNIO. Madrid.

Role of human Ku86 in telomere length maintenance and telomere capping.

Cancer Res. 2004 Oct 15;64(20):7271-8.

Baselga J, Gianni L, Geyer C, et al. Hospital Vall d'Hebrón. Barcelona.

Future options with trastuzumab for primary systemic and adjuvant therapy.

Semin Oncol. 2004 Oct;31(5 Suppl 10):51-7.

Pérez-Paredes MG, Tola-Arribas MA, Abad-Manteca L, et al. Hospital del Río Hortega. Valladolid.

[Primary central nervous system lymphoma and Creutzfeldt-Jakob disease.]

Rev Neurol. 2004 Oct 1-15;39(7):695.

Pignatelli M, Sánchez-Rodríguez J, Santos A, et al. CSIC-UAM. Madrid.

15-deoxy- Δ 12,14-prostaglandin J2 induces programmed cell death of breast cancer cells by a pleiotropic mechanism.

Carcinogenesis. 2004 Oct 21

Suarez Y, Fernández C, Gómez-Coronado D, et al. Hospital Ramón y Cajal. Madrid.

Synergistic upregulation of low-density lipoprotein receptor activity by tamoxifen and lovastatin.

Cardiovasc Res. 2004 Nov 1;64(2):346-55.

Merino R, de Inocencio J, García-Miguel P, et al. Hospital La Paz. Madrid.

Lymphoproliferative disorders in paediatric rheumatic diseases. A report of two cases.

Clin Exp Rheumatol. 2004 Sep-Oct;22(5):649-50.

Serra-Prat M, Nabal M, Santacruz V, et al. Consorci Sanitari del Maresme. Barcelona.

[Validation of the Spanish version of the Palliative Care Outcome Scale.]

Med Clin (Barc). 2004 Oct 2;123(11):406-12.

Quesada E, Delgado J, Gajate C, et al. CSIC. Madrid.

Fluorescent phenylpolyene analogues of the ether phospholipid edelfosine for the selective labeling of cancer cells.

J Med Chem. 2004 Oct 21;47(22):5333-5.

Ferrer A, Marce S, Bellosillo B, et al. Hospital Clínico - IDIBAPS. Barcelona.

Activation of mitochondrial apoptotic pathway in mantle cell lymphoma: high sensitivity to mitoxantrone in cases with functional DNA-damage response genes.

Oncogene. 2004 Oct 11

Matar P, Rojo F, Cassia R, et al. Hospital Vall d'Hebrón. Barcelona.

Combined epidermal growth factor receptor

targeting with the tyrosine kinase inhibitor gefitinib (ZD1839) and the monoclonal antibody cetuximab (IMC-C225): superiority over single-agent receptor targeting.

Clin Cancer Res. 2004 Oct 1;10(19):6487-501.

Rosell R, Felip E, García-Campelo R, et al. Hospital Germá Trias i Pujol. Barcelona.

The biology of non-small-cell lung cancer: identifying new targets for rational therapy.

Lung Cancer. 2004 Nov;46(2):135-48.

Sancho E, Batlle E, Clevers H. IRBB-PCB. Barcelona.

Signaling pathways in intestinal development and cancer.

Annu Rev Cell Dev Biol. 2004 Nov;20:695-723.

Sánchez-Beato M, Sánchez E, García JF, et al. CNIO. Madrid.

Abnormal PcG protein expression in Hodgkin's lymphoma. Relation with E2F6 and Nf κ pB transcription factors.

J Pathol. 2004 Oct 7;204(5):528-537

Fernández Guerrero ML. Fundación Jiménez Díaz. Madrid.

Dealing with fever of unknown origin in an HIV-infected patient.

AIDS Patient Care STDS. 1998 Sep;12(9):673-6.

Gutiérrez-Canas I, Juarranz MG, Collado B, et al. Universidad de Alcalá de Henares. Madrid.

Vasoactive intestinal peptide induces neuroendocrine differentiation in the LNCaP prostate cancer cell line through PKA, ERK, and PI3K.

Prostate. 2004 Oct 5

Prim MP, De Diego JI, Moreno P, et al. Hospital La Paz. Madrid.

Status of internal jugular veins in patients with carcinomas of the head and neck area.

Otolaryngol Head Neck Surg. 2004 Oct;131(4):494-6.

Di Croce L, Buschbeck M, Gutiérrez A, et al. ICREA y Centro de Regulación Genómica. Barcelona.

Altered Epigenetic Signals in Human Disease.

Cancer Biol Ther. 2004 Sep 23;3(9)

Llorente A, de Marco MC, Alonso MA. Centro de Biología Molecular "Severo Ochoa". Madrid.

Caveolin-1 and MAL are located on prostasomes secreted by the prostate cancer PC-3 cell line.

J Cell Sci. 2004 Oct 15;117(Pt 22):5343-5351.

Aguilar S, Corominas JM, Maltas N, et al. Institut Municipal d'Investigació Mèdica. Barcelona.

Tissue plasminogen activator in murine exocrine pancreas cancer: selective expression in ductal tumors and contribution to cancer progression.

Am J Pathol. 2004 Oct;165(4):1129-39.

Farrus B, Vidal-Sicart S, Velasco M, et al. Hospital Clínico de Barcelona.

Incidence of internal mammary node metastases after a sentinel lymph node technique in breast cancer and its implication in the radiotherapy plan.

Int J Radiat Oncol Biol Phys. 2004 Nov 1;60(3):715-21.

Prieto JM, Atala J, Blanch J, et al. IDIBAPS. Hospital Clínico de Barcelona.
Psychometric study of quality of life instruments used during hospitalization for stem cell transplantation.
J Psychosom Res. 2004 Aug;57(2):201-11.

González JA, Arenas O, Gil R, et al. Hospital General Universitario Gregorio Marañón. Madrid.
[Geniculate ganglion tumors. Therapeutic and reconstructive management]
Acta Otorrinolaringol Esp. 2004 May;55(5):206-11.

Escuela Andaluza de Salud Pública. Granada.
Socio-economic level, farming activities and risk of cancer in small areas of Southern Spain.
Eur J Epidemiol. 2004;19(7):643-50.

Rovira M, Puig J. Escuela de Hematología Farreras-Valenti. Barcelona.
[Aspergillus galactomannan detection in allogeneic hematopoietic cell transplantation]
Rev Iberoam Micol. 2003 Sep;20(3):111-5.

Pazos C, del Palacio A. Hospital 12 de Octubre. Madrid.
[Early diagnosis of invasive aspergillosis in neutropenic patients with bi-weekly serial screening of circulating galactomannan by Platelia Aspergillus]
Rev Iberoam Micol. 2003 Sep;20(3):99-102.

Del Palacio A, Cuétara MS, Pontón J. Hospital 12 de Octubre. Madrid.
[Laboratory diagnosis of invasive aspergillosis]
Rev Iberoam Micol. 2003 Sep;20(3):90-8.

Del Palacio A, Cuétara MS, Pontón J. Hospital 12 de Octubre. Madrid.
[Invasive aspergillosis]
Rev Iberoam Micol. 2003 Sep;20(3):77-8.

Moreno V, Glatt H, Guino E, et al. ICO. Barcelona.
Polymorphisms in sulfotransferases SULT1A1 and SULT1A2 are not related to colorectal cancer.
Int J Cancer. 2004 Sep 28

García V, Silva J, Domínguez G, et al. Clínica Puerta de Hierro. Madrid.
Overexpression of p16INK4a correlates with high expression of p73 in breast carcinomas.
Mutat Res. 2004 Oct 4;554(1-2):215-21

Bello MJ, Alonso ME, Aminoso C, et al. Hospital La Paz. Madrid.
Hypermethylation of the DNA repair gene MGMT: association with TP53 G:C to A:T transitions in a series of 469 nervous system tumors.
Mutat Res. 2004 Oct 4;554(1-2):23-32.

Shafey O, Fernandez E, Thun M, et al.
Cigarette advertising and female smoking prevalence in Spain, 1982-1997: Case studies in International Tobacco Surveillance. Cancer. 2004;100(8):1744-9.

Marcuello E, Altes A, del Río, et al. Hospital de la Santa Creu i San Pau. Barcelona.
Single nucleotide polymorphism in the 5' tandem repeat sequences of thymidylate synthase gene predicts for response to fluorouracil-based chemotherapy in advanced colorectal cancer patients.
Int J Cancer. 2004 Dec 10;112(5):733-7.

Farre X, Guillén E, Sánchez L, et al. CNIO. Madrid.
Expression of the nucleoside-derived drug transporters hCNT1, hENT1 and hENT2 in

gynecologic tumors.
Int J Cancer. 2004 Dec 20;112(6):959-66.

García JM, Pérez JM, de Cabo M, et al. Hospital Universitario de Getafe. Madrid.
[Epidemiological characteristics of bladder tumors in the Cuenca area throughout a seventeen-year period]
Actas Urol Esp. 2004 Jul-Aug;28(7):497-505.

Maurel J, Buesa J, López-Pousa A, et al. Hospital Clínico de Barcelona.
Salvage surgical resection after high-dose ifosfamide (HDIF) based regimens in advanced soft tissue sarcoma (ASTS): a potential positive selection bias--a study of the Spanish group for research on sarcomas (GEIS).
J Surg Oncol. 2004 Oct 1;88(1):44-9.

Rodríguez O, Martín JL, Parra L, et al. Hospital Central de Asturias. Oviedo.
[Renal liposarcoma. Report of one case and bibliographic review]
Arch Esp Urol. 2004 Jul-Aug;57(6):646-9. Review.

Meléndez B, Díaz-Urriarte R, Cuadros M, et al. CNIO. Madrid.
Gene expression analysis of chromosomal regions with gain or loss of genetic material detected by comparative genomic hybridization.
Genes Chromosomes Cancer. 2004 Dec;41(4):353-65.

Balmaña J, Sanz J, Bonfill X, et al. Hospital de la Santa Creu i San Pau. Barcelona.
Genetic counseling program in familial breast cancer: analysis of its effectiveness, cost and cost-effectiveness ratio.
Int J Cancer. 2004 Nov 20;112(4):647-52.

Centro Nacional de Epidemiología. Instituto de Salud Carlos III. Madrid.
[State of cancer in Spain: incidence]
An Sist Sanit Navar. 2004 May-Aug;27(2):165-73.

Modelling and simulation: a computational perspective in anticancer drug discovery.
Curr Med Chem Anti-Canc Agents. 2004 Sep;4(5):401-3.

Irimia M, Fraga MF, Sánchez-Céspedes M, et al. CNIO. Madrid.
CpG island promoter hypermethylation of the Ras-effector gene NRE1A occurs in the context of a wild-type K-ras in lung cancer.
Oncogene. 2004 Nov 11;23(53):8695-9.

Martín-Caballero J, Flores JM, García-Palencia P, et al. CNIO. Madrid.
Different cooperating effect of p21 or p27 deficiency in combination with INK4a/ARF deletion in mice.
Oncogene. 2004 Oct 28;23(50):8231-7.

España L, Fernández Y, Rubio N, et al. IRO. Barcelona.
Overexpression of Bcl-xL in human breast cancer cells enhances organ-selective lymph node metastasis.
Breast Cancer Res Treat. 2004 Sep;87(1):33-44.

Conde I, Paniagua R, Fraile B, et al. Universidad de Alcalá de Henares. Madrid.
Expression of vitamin D3 receptor and retinoid receptors in human breast cancer: identification of potential heterodimeric receptors.
Int J Oncol. 2004 Oct;25(4):1183-91.

Fernández-Contreras ME, Jiménez B, García ML, et al. Hospital de la Princesa. Madrid.
Thymidylate synthase expression pattern is a

prognostic factor in patients of colorectal cancer treated with 5-fluorouracil.
Int J Oncol. 2004 Oct;25(4):877-85.

de Molina AR, Bañez-Coronel M, Gutiérrez R, et al. Instituto de Investigaciones Biomédicas. CSIC. Madrid.
Choline kinase activation is a critical requirement for the proliferation of primary human mammary epithelial cells and breast tumor progression.
Cancer Res. 2004 Sep 15;64(18):6732-9.

Busquets S, Figueras MT, Fuster G, et al. Facultad de Biología. Universidad de Barcelona.
Anticachectic effects of formoterol: a drug for potential treatment of muscle wasting.
Cancer Res. 2004 Sep 15;64(18):6725-31.

Martí-Rague J, Pares D, Biondo S, et al. Hospital Universitario de Bellvitge. Barcelona.
[Survival and recurrence in the multidisciplinary approach of colorectal cancer]
Med Clin (Barc). 2004 Sep 11;123(8):291-6.

Rodríguez IM, Irving JA, Prat J. Hospital de la Santa Creu i San Pau. Barcelona.
Endocervical-like mucinous borderline tumors of the ovary: a clinicopathologic analysis of 31 cases.
Am J Surg Pathol. 2004 Oct;28(10):1311-8.

Montoto S, López-Guillermo A, Altes A, et al. Hospital Clínico-IDIBAPS. Barcelona.
Predictive value of Follicular Lymphoma International Prognostic Index (FLIPI) in patients with follicular lymphoma at first progression.
Ann Oncol. 2004 Oct;15(10):1484-9.

Manito N, Kaplinsky E, Roca J, et al. Hospital de Bellvitge. Barcelona.
Heart transplantation and chronic lymphocytic leukemia: a successful case at 2 years of follow-up.
J Heart Lung Transplant. 2004 Jun;23(6):777-9.

Losada A, López-Oliva JM, Sánchez-Puelles JM, et al. Pharmamar. Madrid.
Establishment and characterisation of a human carcinoma cell line with acquired resistance to Aplidin.
Br J Cancer. 2004 Oct 4;91(7):1405-13.

Sendra J, Galindo N, Rodríguez-Peralzo JL, et al. Hospital Ramón y Cajal. Madrid.
Malignant melanoma of the lacrimal sac.
Otolaryngol Head Neck Surg. 2004 Sep;131(3):334-6.

Provencio M, España P, Millán I, et al. Clínica Puerta de Hierro. Madrid.
Prognostic factors in Hodgkin's disease.
Leuk Lymphoma. 2004 Jun;45(6):1133-9.

Ibañez L, Valls C, Cabre S, et al. Hospital de San Joan de Deu. Barcelona.
Flutamide-metformin plus ethinylestradiol-drospirenone for lipolysis and antiatherogenesis in young women with ovarian hyperandrogenism: the key role of early, low-dose flutamide.
J Clin Endocrinol Metab. 2004 Sep;89(9):4716-20.

Villar-García A, Esteller M. CNIO. Madrid.
Histone deacetylase inhibitors: understanding a new wave of anticancer agents.
Int J Cancer. 2004 Nov 1;112(2):171-8.



Gu B, España L, Méndez O, et al. IRO. Barcelona.
Organ-selective chemoresistance in metastasis from human breast cancer cells: inhibition of apoptosis, genetic variability and microenvironment at the metastatic focus.
Carcinogenesis. 2004 Sep 3

“ENTRE EL MIEDO Y LA ESPERANZA. LA EXPERIENCIA DE AFRONTAR UN CÁNCER”

El Dr. José Luis Guinot Rodríguez, jefe Clínico de Oncología Radioterápica de la Fundación Instituto Valenciano de Oncología (IVO) en sus veinte años como médico especialista en Oncología ha comprobado que la falta de información añade miedo y angustia a quien padece un cáncer y a sus familiares. Así lo afirma en el prólogo de este libro que acaba de publicar.

“Esta obra pretende ofrecer una explicación clara y completa de lo que supone vivir esta experiencia y tiene como objetivo servir de ayuda tanto a pacientes como a profesionales y a un amplio público preocupado por el tema”, ha señalado su autor, Dr. Guinot.

Los 12 capítulos del libro abordan el miedo al cáncer, el diagnóstico, el miedo al tratamiento, las diversas opciones terapéuticas, el miedo al futuro, al dolor, al sufrimiento y a la muerte, para finalizar hablando de la prevención y de la importancia de vencer el miedo a través de la confianza.



“MERCURIO EN LA CASA DE VENUS”

“Mercurio en la casa de Venus” es un ensayo de la Dra. Yolanda Escobar, del Servicio de Oncología Médica del Hospital Universitario Gregorio Marañón de Madrid, basado en el libro “En la Tierra del Dolor”. Su autor, Alphonse Daudet, fue un escritor francés de finales del XIX, enfermo de sífilis neurológica, una forma muy dolorosa llamada tabes dorsal. Escribió unas notas muy vívidas y estremecedoras sobre su experiencia con el sufrimiento físico y psíquico, que constituyen “En la tierra del dolor”.

Sobre el propio Daudet, su obra literaria más conocida, su enfermedad y su ambiente social y literario, trata este libro de la Dra. Escobar que se presentó el 30 de septiembre, en Toledo, en el marco del I Simposio SEOM de Cuidados Continuos en Oncología Médica.